

Page 47, line 22, please add the paragraph:

-- FIG. 22AA is a sectional view of an alternate embodiment of the one piece base track 2222 with a raised channel-seat for the stud 2220. --.

**IN THE CLAIMS:**

Please amend claims 1, 2 and 3 as follows:

- 1           1.     (Amended)         A demountable and reusable wall assembly  
2 for partitioning a room space between an overhead and a floor comprising:  
3           (a)    a plurality of panels having edges at the extremities,  
4           (b)    a plurality of studs for supporting the panels,  
5           (c)    a plurality of long-term removeable fasteners,  
6           (d)    a tape, and  
7           (e)    a tab associated with the tape,  
8                 the panels are affixed to the studs at the panel edges to  
9                 form a seam, the long-term, removable fasteners secure  
10                the adjacent panels to the studs,  
11                the seam and long-term removable fasteners are covered  
12                with the tape and covered with a mud compound, the  
13                tape is sufficiently strong to be removed, when the wall  
14                assembly is demounted [as a single piece, in unison, and  
15                the tape may be removed as a single piece by pulling the  
16                tab, as the tab is pulled,]the tape and the mud compound  
17                is disengaged [disengage] from the panels thereby  
18                exposing the long-term removable fasteners such that the  
19                long-term removable fasteners are [can be] easily

20 removed and the panels and studs disassembled, the  
21 heads of the long-term removable fasteners are kept  
22 clean for easy engagement and removal and the tape is  
23 sufficiently unporous to prevent the mud compound  
24 from penetrating through the tape to fill the heads of the  
25 long-term fasteners.

1 2. (Amended) A demountable and reusable wall assembly for  
2 partitioning a room space between an overhead and a floor comprising:  
3 (a) a plurality of panels having edges at the extremities,  
4 (b) a plurality of studs for supporting the panels,  
5 (c) a plurality of long-term removeable fasteners,  
6 (d) a tape,  
7 (e) a tab associated with the tape, and  
8 (f) a releasable adhesive,  
9 the panels are affixed to the studs at the panel edges to  
10 form a seam, the long-term, removable fasteners secure  
11 the adjacent panels to the studs,  
12 the seam and long-term removable fasteners are covered  
13 with the tape and covered with a mud compound, the  
14 tape is sufficiently strong to be removed, when the wall  
15 assembly is demounted, [as a single piece, in unison, and  
16 the tape may be removed as a single piece by pulling the  
17 tab, as the tab is pulled,] the tape and the mud compound  
18 is disengaged [disengage] from the panels thereby

19 exposing the long-term removable fasteners such that the  
20 long-term removable fasteners are [can be] easily  
21 removed and the panels and studs disassembled, the  
22 heads of the long-term removable fasteners are kept  
23 clean for easy engagement and removal and the tape is  
24 sufficiently unporous to prevent the mud compound  
25 from penetrating through the tape to fill the heads of the  
26 long-term fasteners, the panels are also affixed to the  
27 studs not at the panel edges using the releasable adhesive.

1 3. (Amended) A demountable and reusable wall assembly for  
2 partitioning a room space between an overhead and a floor comprising:  
3 (a) a plurality of panels having edges at the extremities,  
4 (b) a plurality of studs for supporting the panels,  
5 (c) a plurality of long-term removeable fasteners,  
6 (d) a tape,  
7 (e) a tab associated with the tape, and  
8 (f) a releasable adhesive,  
9 the panels are affixed to the studs at the panel edges to  
10 form a seam, the long-term, removable fasteners secure  
11 the adjacent panels to the studs,  
12 the seam and the long-term removable fasteners are  
13 covered with the tape and covered with a mud  
14 compound, the tape is sufficiently strong to be removed,  
15 when the wall assembly is demounted [as a single piece,

16 in unison, and the tape may be removed as a single piece  
17 by pulling the tab, as the tab is pulled,] the tape and the  
18 mud compound is disengaged [disengage] from the  
19 panels thereby exposing the long-term removable  
20 fasteners such that the long-term removable fasteners are  
21 [can be] easily removed and the panels and studs  
22 disassembled, the heads of the long-term removable  
23 fasteners are kept clean for easy engagement and  
24 removal and the tape is sufficiently unporous to prevent  
25 the mud compound from penetrating through the tape to  
26 fill the heads of the long-term fasteners, further,  
27 the panels are also affixed to the studs not at the panel  
28 edges using the long-term, removable fasteners to secure  
29 the middle portion of the panels to the studs intermediate  
30 of the extremities of the panel, and the long-term  
31 removable fasteners are covered with the tape and  
32 covered with a mud compound, the tape is sufficiently  
33 strong to be removed, when the wall assembly is  
34 dismounted [as a single piece, in unison, and the tape  
35 may be removed as a single piece by pulling the tab, as  
36 the tab is pulled,] the tape and the mud compound is  
37 disengaged [disengage] from the panel thereby exposing  
38 the long-term removable fasteners such that the  
39 long-term removable fasteners are [can be] easily  
40 removed and the panels and studs disassembled.